

HPLMAKER

BEAUTY WITH IMMUNITY

Stronger Exteriors Start Here.





HPLMAKER

BEAUTY WITH IMMUNITY

- We are number 1 HPL seller in pan India
- 15 years live camera warranty with written certificate
- Complete local support

Ashmon Kumaar, Founder and Chairman of HPLMAKER, built the company with a clear objective: to challenge the industry norm that premium quality must come with inflated pricing. With a strong focus on manufacturing efficiency, design precision, and uncompromising quality standards, he has led HPLMAKER to deliver products that balance durability, aesthetics, and affordability. His leadership is rooted in practical execution rather than hype — prioritizing long-term value, process discipline, and customer trust — positioning HPLMAKER as a brand that competes on substance, not shortcuts.



OUR STORY

HPLMAKER is a highly durable high-pressure laminate (HPL) with a decorative surface that is suitable for exterior use. It is fade-resistant, weatherproof, and termite-proof, and complies with standard EN 438-6.

It is entirely made up of layers of kraft paper with a decorative layer and a UV-protective layer.

The manufacturing process involves combining paper with the application of high heat (150°C) and high pressure (9 MPa) in which resin polycondensation takes place. One or both sides can be decorated with phenolic resins.



Mission

HPLMAKER specializes in the marketing and sale of a comprehensive range of interior and exterior wall-cladding materials, including High Pressure Laminates (HPL) and Exterior WPC Louvers, manufactured using modern, cutting-edge technology enhanced by artificial intelligence (AI).

Vision

HPLMAKER is committed to establishing world-class facilities equipped with modern and emerging technologies for the development, manufacturing, and global supply of a diverse range of exterior and interior wall-cladding materials.

Characteristics



Resistant to UV rays, atmospheric conditions, swelling in boiling water, fire, physical strikes and abrasion, as well as mild acids, rain, and air pollution. Available in a wide range of colors and patterns, easy to care for and repair, free from harmful substances, and offering maximum light fastness. The material is lightweight with excellent dimensional stability and flatness, making it suitable for lightweight facade systems and allowing easier perforation.



Easy to clean



Moisture resistance



Scratch Resistance



Chemical effect resistance



Abrasion resistance



Fire resistance

CLEANING & MAINTENANCE

The protective film applied at the factory must be removed from the surface of the panel immediately after installation of the facade. The surface of HPLMAKER panels repels dust; however, over time it may be necessary to clean it with soapy water for better aesthetics.

WARRANTIES


Backed by years of practical experience and the high quality of HPLMAKER panels, warranties are available both for the product range in general and for specific projects. More information can be obtained from your local representative.

REGULAR SIZES

2440*1220*6mm

Thickness

On Demand : 3MM to 20MM



STORAGE

HPLMAKER comes with a film on the top layer for protection during transportation. During stocking, panels must be stacked horizontally on flat, stable shelves and stored in closed rooms under dry, normal climatic conditions. Cover plates must always be left on the stack, and the cover should be weighted down. Any form of dirt or dust between the panels must be avoided. Panels must be lifted, not pushed or pulled over the edge, when carrying or loading. To account for climate differences, allow the panels to acclimatize for 24 hours in the new climate before use. With pre-installed fastening elements, care must be taken to ensure the climatic effect is uniform on all sides. Use intermediate layers of wood or plastic.



HPLMAKER

BEAUTY WITH IMMUNITY



Product Code : 8010

Product Series : HPL SERIES

Product Texture : WOODEN SF

Product Finish : SF

**Actual color may vary from printed
images**



HPLMAKER

BEAUTY WITH IMMUNITY



Product Code : 620

Product Series : HPL SERIES

Product Texture : WOODEN SF


Product Finish : SF

Actual color may vary from printed images



HPLMAKER

BEAUTY WITH IMMUNITY



Product Code : 6015

Product Series : HPL SERIES

Product Texture : WOODEN SF

Product Finish : SF

**Actual color may vary from printed
images**



HPLMAKER

BEAUTY WITH IMMUNITY



Product Code : 6019

Product Series : HPL SERIES

Product Texture : WOODEN SF


Product Finish : SF

**Actual color may vary from printed
images**



HPLMAKER

BEAUTY WITH IMMUNITY



Product Code : 6014

Product Series : HPL SERIES

Product Texture : WOODEN SF

Product Finish : SF

**Actual color may vary from printed
images**



HPLMAKER
BEAUTY WITH IMMUNITY

HPLMAKER

BEAUTY WITH IMMUNITY



Product Code : 6013

Product Series : HPL SERIES

Product Texture : WOODEN SF

Product Finish : SF

**Actual color may vary from printed
images**



HPLMAKER

BEAUTY WITH IMMUNITY



Product Code : 6012

Product Series : HPL SERIES

Product Texture : WOODEN SF

Product Finish : SF

**Actual color may vary from printed
images**



HPLMAKER

BEAUTY WITH IMMUNITY



Product Code : 6018

Product Series : HPL SERIES

Product Texture : WOODEN SF

Product Finish : SF

**Actual color may vary from printed
images**



HPLMAKER

BEAUTY WITH IMMUNITY



Product Code : 4190

Product Series : HPL SERIES

Product Texture : WOODEN SF

Product Finish : SF

**Actual color may vary from printed
images**



HPLMAKER

BEAUTY WITH IMMUNITY



Product Code : 9004

Product Series : HPL SERIES

Product Texture : WOODEN SF

Product Finish : SF

**Actual color may vary from printed
images**



HPLMAKER

BEAUTY WITH IMMUNITY



Product Code : 9007

Product Series : HPL SERIES

Product Texture : WOODEN SF


Product Finish : SF

**Actual color may vary from printed
images**



HPLMAKER

BEAUTY WITH IMMUNITY



Product Code : 9012

Product Series : HPL SERIES

Product Texture : WOODEN SF

Product Finish : SF

**Actual color may vary from printed
images**



HPLMAKER
BEAUTY WITH IMMENSITY

HPLMAKER

BEAUTY WITH IMMUNITY

HPLMAKER
BEAUTY WITH IMMUNITY

Product Code : 5201

Product Series : HPL SERIES

Product Texture : SOLID WHITE

Product Finish : SF

Actual color may vary from printed images



HPLMAKER

BEAUTY WITH IMMUNITY

HPLMAKER
BEAUTY WITH IMMUNITY

Product Code : 5204

Product Series : HPL SERIES

Product Texture : SOLID IVORY

Product Finish : SF

Actual color may vary from printed images



HPLMAKER

BEAUTY WITH IMMUNITY



Product Code : 5279

Product Series : HPL SERIES

Product Texture : SILVER GREY

Product Finish : SF

Actual color may vary from printed images



HPLMAKER

BEAUTY WITH IMMUNITY



Product Code : 5280

Product Series : HPL SERIES

Product Texture : SOLID GREY

Product Finish : SF

Actual color may vary from printed images





- We are number 1 HPL seller in pan India
- 15 years live camera warranty with written certificate
- Complete local support


Keeping our Aim Intact from the start!



HPL is a premium product and we at HPL MAKER work with a vision to make these premium products accessible and economical for a wide variety of users. Our pricing and designs are our strengths and we pride ourselves on being the only manufacturing company that provides quality products at reasonable costs.

Technical Specification

NO.	PROPERTIES	TEST METHOD	ATTRIBUTES OF PERFORMANCE	UNIT OF MESURMENT	RESULTS (AS PER EN-438-6)
			EN-438 Laminate Classification		EGS/EDS/EGF/EDF
1	SURFACE QUALITY				
1.1	Surface Quality	EN 438-2.4	Spot dirt and similar surface defects	mm²/m²	2
			Fibre, Hair and Scratches	mm²/m²	20
2	DIMENSIONAL PROPERTIES				
2.1	Thickness	EN438-2.5	Thickness Tolerance	mm	2≤T≤3:+0,2
					3≤T≤5:+0,3
					5≤T≤8:+0,4
					8≤T≤12:+0,4
					12≤T≤12:+0,4
					16≤T≤12:+0,4
					20≤T≤20:+0,4
					25≤T≤: +0,4
2.2	Size	EN 438-2.6	Length and Width	mm	±10/,.0
2.3	Straightness of Edges	EN 438-2.7	Straightness of Edges	mm / m	≤1,5
2.4	Squareness	EN 438-2.8	Squareness	mm / m	≤1,5
2.5	Squareness	EN 438-2.9	Squareness	mm / m	2,0≤T≤6,0:8
					6,0≤T≤10,0:5
					10,0≤T:3
3	PHYSICAL PROPERTIES				
3.1	Flexural Mouduls	EN ISO 178	Stress		≥9000
3.2	Flexural Strength	EN ISO 178	Stress		≥80
3.3	Tensile Strength	EN ISO 527-2	Stress		≥60
3.4	Density	EN ISO 1183	Density		≥1,35
3.5	Resistance to Impact wirh large Diameter Ball	EN 438-2.21	Indent Dia. 10mm 2 T 6mm-Drop Hight	Min	≥1400
					≥1800
3.6	Resistance to Wet Conditions	EN 438-2.15	Mass Increase - 2 T 5 mm	Max%	EGD/EDS-≤7
					EGD/EDS-≤10
			Mass Increase - < 5 mm	Max%	EGD/EDS-≤5
					EGD/EDS-≤8
3.7	Dimensional Stability at Elevated Temperatures	EN 438-2.17	Cumulative Dimensional Change - 2≤T≤5mm		
			Cumulative Dimensional Change - T≤5mm		
4	WEATHER RESISTANCE REQUIREMENTS				
4.1	Resistance to Climatic Shock	EN 438-2.19	Thermal Shock Resistance - Appearance	Rating	≥4
4.2	Resistance to Artificial Weathering	EN 438-2.29	Contrast	Grey Scale Rating	≥3
			Appearance	Rating	≥4
5	FIRE PERFORMANCE				
5.1	Fire Reaction Classification (on demand)	EN 13501	Test as per EN 13823(SBI Test) and EN ISO 11925-2 (Smallll-Burner Test)		
			Classification - 3≤T<6mm	Classification	B-s2,d0
			Classification - 6≤T<13mm	Classification	D-s1,d0



OFFICIAL WEBSITE : WWW.HPLMAKER.COM EMAIL : MARKETING@HPLMAKER.COM
FOR FEEDBACK, COMPLAINT & REPLACEMENT : MARKETING@HPLMAKER.COM